



# Lightweight Combat Vehicle S&T Initiatives

Global Automotive Lightweight Materials 2015 - August 18-20 2015

Dr. Richard Gerth
Ground Systems Survivability
Tank Automotive Research Development & Engineering Center (TARDEC)

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

UNCLASSIFIED DISTRIBUTION A

maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to completing and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding ar DMB control number.	ion of information. Send comments arters Services, Directorate for Infor	regarding this burden estimate mation Operations and Reports	or any other aspect of the 1215 Jefferson Davis	is collection of information, Highway, Suite 1204, Arlington	
2. REPORT TYPE				3. DATES COVERED <b>00-00-2015 to 00-00-2015</b>		
4. TITLE AND SUBTITLE				5a. CONTRACT	NUMBER	
Lightweight Comb Lightweight Mater	iatives Global Autor	motive	5b. GRANT NUMBER			
Lightweight Mater	0-20 2015		5c. PROGRAM ELEMENT NUMBER			
6. AUTHOR(S)			5d. PROJECT NUMBER			
Richard Gerth			5e. TASK NUMBER			
				5f. WORK UNIT NUMBER		
	ZATION NAME(S) AND AD M-TARDEC,6501 E 18397-5000	` '		8. PERFORMING REPORT NUMB	GORGANIZATION ER	
9. SPONSORING/MONITO		10. SPONSOR/MONITOR'S ACRONYM(S)				
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)				
12. DISTRIBUTION/AVAII Approved for publ	LABILITY STATEMENT ic release; distributi	ion unlimited				
13. SUPPLEMENTARY NO Global Automotive	otes e Lightweight Mater	rials 2015 - 18-20 Au	g 2015			
14. ABSTRACT <b>None</b>						
15. SUBJECT TERMS						
16. SECURITY CLASSIFIC	17. LIMITATION OF	18. NUMBER	19a. NAME OF			
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	OF PAGES 19	RESPONSIBLE PERSON	

**Report Documentation Page** 

Form Approved OMB No. 0704-0188

### **Mission & Vision**





### **MISSION:**

Develop, integrate and sustain the right technology solutions for all manned and unmanned Department of Defense(DOD) ground systems and combat support systems to improve Current Force effectiveness and provide superior capabilities for the Future Force.



### **VISION:**

The first choice of technology and engineering expertise for ground vehicle systems and support equipment – today and tomorrow.

We help our Warfighters succeed and come home alive

## **Organizational Structure**





















#### **AMRDEC**

Aviation and
Missile
Research
Development
and
Engineering
Center

### **ARDEC**

Armament Research, Development and Engineering Center

#### **ARL**

Army Research Laboratory

#### **CERDEC**

Communicati
onsElectronics
Research,
Development
and
Engineering
Center

#### **ECBC**

Edgewood Chemical Biological Center

#### **NSRDEC**

Natick
Soldier
Research,
Development
and
Engineering
Center

#### **TARDEC**

Tank
Automotive
Research,
Development
and
Engineering
Center

### **Future Goals**





We Need An Expeditionary, Scalable & Ready Modern Army (From CSA Priorities, SEP 13)

 Focus S&T investment to maximize the potential of emerging game-changing land power technologies to counter emerging threats.

Rapidly deploy, fight, and win whenever and wherever our national interests are threatened.

Train and equip the Total Army to rapidly deploy, fight, sustain itself, and win against complex state and non-state threats in austere environments and rugged terrain (The expeditionary

mindset).

But what does the future force look like?

Weight reduction is a key enabler for an expeditionary force



Deploy globally and rapidly; seize & maintain initiative without sacrificing protection

### **Challenge: Reducing Weight w/Increasing Threats**







Vehicle weights have risen in response to new and increasing threats and increasing vehicle protection areas



### Increasing Threats and Coverage






## **Weight Reduction Opportunities**








Achieving the Army's goals for light-weight ground vehicles relies on the integration of both material and non-material science approaches

## **Lightweight Combat Vehicle S&T Campaign**









## **Issues to Lightweighting Combat Vehicles**





- Development of survivable vehicle systems while keeping to air transport weight.
- Attachment methodologies for A + B + C armor concept, appurtenances
- Joining and fastening technologies (dissimilar materials), adhesives
- Balancing interior volume against the use of less efficient structural material solutions
- Signature management, electromagnetic shielding over potentially non-metallic surfaces
- Diagnostics & prognostics for structural health assessment
- Material costs and improving multi-hit performance
- Advanced structures offer part consolidation necessitating development of high yield mfg. processes
- Inspection and repair of advanced armor systems
- Improved modeling and simulation








## **Light-Weight Vehicle Structure (LWVS)**














#### Schedule

Milestones	FY11	FY12	FY13	FY14	FY15	FY16
Contracting						
Trade Study		4				
Tech Development			5			
Detailed Design						
Manufacturing						
Test & Evaluation						6

Milestone Indicators:

TRL:

Milestone Timeline:

### **PURPOSE**

- Demonstrate best practices in affordable, multi-material design for structures to reduce ground vehicle weight
- Utilize automotive technology investments in vehicle structure light weighting
- Demonstrate a weight savings of up to 400 lbs on a testable LAV-25 without degradation in performance.
- Evaluate the current technical capability of the supply chain.

### **ARMY PAYOFF**

- Increased fuel economy
- Increased reliability
- Greater SWAP-C (Space, Weight, Armor, Power, Cooling)

### **RESULTS / PRODUCTS**

- 400 lbs lighter multi-material turret (<1,000 lbs turret structure)
- Bi-metallic cast trunnion
- Affordable (targeted for future upgrade)
- Updated production cost models

#### **Architecture**

- Armored roof
- Carbon fiber composite sidewalls and baseplate
- Aluminum basket
- Adhesively bonded and bolted

### Advanced Vehicle Power Tech. Alliance (AVPTA)





**Hybrid Propulsion Advanced Combustion Lightweight Structures Energy Recovery and** Alternative Fuels and **Engines and** Systems & Energy **Analytical Tools** and Materials **Thermal Management** Lubricants **Transmissions** Storage **Technical areas for joint activity:** · High density, energy Reduce weight Cost Improved Standardization Efficiency Assessment/ efficient powertrain to improve efficiency, manage & security improvements **Design Trades** performance heat generation • Extreme gains in Efficiency gains engine efficiency Efficiency gains through advanced oil Cost reduction for formulations consumer market through waste heat recovery Ignition Models for ❖Lightweight Thermoelectrics ❖Fuel Bulk Modulus Computer Aided Heavy Hydrocarbon vehicle structures and Enabling Engine **Engineering for** Fuels ❖ Multi-Material Batteries (CAEBAT) ❖Non-Rare Earth Joining Materials for Motors

### **Similarities**

Yield Strength (MPa)







### **Similar Goals**

Lighter Weight Vehicles

### **Similar Materials**


AHSS Aluminum Composites

## **Similar Applications**

Ground vehicles / Structures
Diesel engines

### **Similar Manufacturing Processes**

Welding (Friction stir, MIG/TIG)
Forming (hot stamping)
Castings








Given the similarities, it makes sense to collaborate.

## **Big Differences**







Given the differences in programs, business environment, technical details, and funding timing, one must take a very detailed, task by task examination of collaboration areas.

## **Ballistic Shock Test**







## **Dissimilar Material Joining**





- <u>Definition</u>: Joining of any material combination that cannot be arc welded.
- Example: Some 70XX aluminum cannot be arc welded.

## **CVP HFBC Relevant Joining Technology**

Criteria	Arc Welding	FSSW	Bi-metallic Plates	Mechanical (bolts)	Adhesives
Dissimilar Materials	X (weld wire)	✓	✓	✓	✓
Strength	$\checkmark$	√?	√?	√?	Х?
Corrosion	✓	✓	✓	X?	✓
Repairability	✓	?	√;	✓	√?
Cost (per foot)	\$1X	\$0.5X*	\$2X+	\$	5
No 2nd Projectile	$\checkmark$	✓	$\checkmark$	Χ	$\checkmark$
Major Factors: Material Thickness Joint Design Process specific		Metals		Metals & Composites	Composites

## **Project Technologies**







	Weld Wires	Solid State	ARC Weld	Mechanical	Misc Process	Misc Project
Mg		1		1		1
Al	1	1			1	
AHSS	2	4	2		1	1
FRC				3	1	1
	AHSS weld wire	Hi Speed AL FSW MG FSW		MG SP Rivets	Breakthru	MIFERD
STATES OF MALE	AHSS weld wire Al weld wire	FSW SFSW TFSW FAW	Weld Model Weld Char'n	Adh Bolt + Adh Bolt load	LACS Infusion Breakthru	Auto Join TS

### **MMJ Technologies – Weld wires**













### **AHSS WELDWIRE**

- Excessive weld cracks in vehicles due to fatigue, not ballistics.
- Failure analysis identified hydrogen embrittlement as major culprit.
- New AHSS weld wire developed that can deal with hydrogen embrittlement.
- Current status: Weld wire produced.
- <u>Next steps</u>: Create welded samples and evaluate.
- Verdict: Depends on evaluation
- Performer: ORNL


### **HIGH STRENGTH AL 6XXX WELDWIRE**

- 6xxx alloys are attractive from a cost, and performance standpoint: 15-20% strength increase. But, 5556, 5183, 5356 filler alloys are not compatible with high strength 6xxx alloys due to weld cracks.
- New weld wire solves MgSi2 brittle effects of using 4043 in high strength 6xxx alloys.
   Enables joining 6xxx alloys (6055) to each other and to 5xxx alloys (5083)
- Current status: Weld wire does not meet corrosion requirements.
- <u>Next steps</u>: Chemistry optimization to minimize corrosion susceptibility. Weld samples and evaluate ballistics.
- Verdict: Depends on evaluation in late FY16.
- Performer: Alcoa

## **MMJ Technologies – Friction Stir Welding**









### **SCRIBE FSW**

- Have developed SFSW to penetrate up to 1" thick Aluminum
- Joint strength from single pass is too low. Doubles for in plane double pass.
- Working on joint designs and multiple pass method to increase joint strength
- Have not evaluated ballistic shock or corrosion
- Next steps: Create welded samples and evaluate.
- Verdict: Depends on evaluation
- Performer: PNNL

### THERMAL FSW


- Have developed process to weld 0.5" thick welds with 105% joint strength of comparable aluminum welds.
- Tool life is short and tool is expensive.
- Working on thermal control through water cooled fixtures to extend tool life (weld length).
- Have not evaluated ballistic shock or corrosion
- <u>Next steps</u>: Create welded samples and evaluate.
- Verdict: Depends on evaluation
- Performer: Focus Hope

## **Breakthrough Techniques in Dissimilar Material Joining**






## **POC: William Joost, Richard Gerth**



#### Schedule & Milestones



Milestone Indicators:

TRL or SRL: (1)

Significant Activities:

#### **Problem Statement:**

- A weight optimized vehicle is a multi-material structure, where the best material is used to meet the performance requirements at every location.
- Current processes are focused on various welding technologies, preheating technologies, adhesives, mechanical joints, and explosive bonding (bi-metallic plates).
- This project is investigating novel techniques that are significantly different than current technologies and are applicable to thin sheet and thick plates.

#### Product(s):

- 1. Active, Tailorable Adhesives for Dissimilar Material Bonding, Repair and Reassembly (Michigan State)
  - Electro-magnetically cure and un-cure adhesives
- 2. Brazing Dissimilar Materials with a Novel Composite Foil (Johns Hopkins)
  - Self propagating brazing foil with minimal surface prep
- 3. Welding of Dissimilar Materials by Vaporizing Foil Actuator (Ohio State)
  - Electrically vaporizing material into a rapidly expanding plasma to explosively bond dissimilar metals (Cu, Mg, AHSS, AI)
- 4. Upset Protrusion Joining (Chrysler, AET)
  - Integrated "rivets" cast into Mg part and mechanically joined to steel.
- 5. Laser-Assisted Joining Process of Aluminum and Carbon Fiber Components (Oak Ridge)
  - Carbon fiber composite micro-surface prepping process to increase adhesive bonding with Aluminum.

#### Payoff: (BOTH military & commercial)

Potential for lower cost and more effective methods for joining dissimilar materials, thereby accelerating the adoption of lighter weight materials in military and commercial vehicles. These technologies are applicable to thin sheet and thick plate.





## **Cooperative Research and Development Agreement (CRADA)**

- Established between federal labs and commercial, academic or nonprofit partners to facilitate technology transfer between the parties for mutual benefit
  - GM Fuel Cell

## **Test Service Agreement (TSA)**

- Is a technology transfer mechanism that enables federal laboratories to perform work for hire.
  - Dodge Truck Testing on the Vehicle Inertial Properties Evaluation Rig (VIPER)

## **Small Business Technology Transfer (SBR, STTR)**

## Pathways to TARDEC

- Ground Vehicle Gateway: <a href="https://tardec.groundvehiclegateway.com">https://tardec.groundvehiclegateway.com</a>
- TARDEC Industry Day
- Defense Mobility Enterprise (DME): <a href="http://defensemobility.org/">http://defensemobility.org/</a>

